

2012 National Patient Safety Goals: Quiz

Goal #15: Suicide Risk Assessment

1. True or False: This goal only applies patients in psychiatric hospitals and to patients in general hospitals who have a primary diagnosis of an emotional or behavioral disorder.
2. This goal applies to
 - a. Patients on BL 11
 - b. Patients in the ED
 - c. Patients in ICUs
 - d. Patients on general care units
 - e. a only
 - f. all of the above
3. True or false: The rationale of this goal is to be proactive in identifying patients with behavioral or emotional disorders who may be at risk for suicide.
4. True or false: At MGH, we meet the goal because patients with primary psychiatric or emotional disorders are routinely seen by someone from psychiatry.
5. True or false: The goal also requires that the hospital provide information such as crisis hotline to identified patients at risk for suicide and their family members. This is routinely done by psychiatrists at MGH.

2011 National Patient Safety Goals: Answer Sheet

Goal #15: Suicide Risk Assessment

1. **True** or False: This goal only applies patients in psychiatric hospitals and to patients in general hospitals who have a primary diagnosis of an emotional or behavioral disorder.
2. This goal applies to
 - a. Patients on BL 11
 - b. Patients in the ED
 - c. Patients in ICUs
 - d. Patients on general care units
 - e. a only
 - f. all of the above**
3. **True** or false: The rationale of this goal is to be proactive in identifying patients with behavioral or emotional disorders who may be at risk for suicide.
4. **True** or false: At MGH, we meet the goal because patients with primary psychiatric or emotional disorders are routinely seen by someone from psychiatry.
5. **True** or false: The goal also requires that the hospital provide information such as crisis hotline to identified patients at risk for suicide and their family members. This is routinely done by psychiatrists at MGH.