



EED Regulatory Readiness Checklist (Inpatient Units)
Restraints

| Criteria | Met | Not Met | Comments |
|---|-----|---------|----------|
| <p><input type="checkbox"/> Provider order present and current</p> <p>Nonviolent restraint order is required</p> <ul style="list-style-type: none"> ○ Daily ○ New episode of restraint <p>Violent restraint order is required</p> <ul style="list-style-type: none"> ○ Adults >18yrs every 4hrs ○ Child 9-17yrs every 2hrs ○ Child <9yrs every 1hr | | | |
| <p><input type="checkbox"/> Type and number of restraints documented matches the Provider Order</p> | | | |
| <p>Non-violent restraints</p> <p><input type="checkbox"/> Restraint documentation on Restraint flowsheet required once per shift:</p> <ul style="list-style-type: none"> ○ Alternative or less restrictive interventions attempted ○ Type of restraint ○ Location of restraint ○ Current status "start", "continued", "discontinued" of restraint ○ Clinical justification /rationale for continued use ○ Criteria for discontinuation ○ Released as appropriate ○ Patient's response <p><input type="checkbox"/> Applicable restraint monitoring must be performed every 2 hours but attestation may be documented at the end of the shift</p> <ul style="list-style-type: none"> ○ Psychological status ○ Circulation ○ Range of motion ○ Fluids, food/meal ○ Toileting | | | |
| <p>Violent restraints</p> <p><input type="checkbox"/> Restraint documentation on Restraint flowsheet required once per shift:</p> <ul style="list-style-type: none"> ○ Alternative or less restrictive interventions attempted ○ Type of restraint ○ Location of restraint ○ Current status of restraint "start", "continued", "discontinued" ○ Clinical justification /rationale for continued use ○ Criteria for discontinuation ○ Released every 2 hours or as appropriate ○ Patient's response | | | |



EED Regulatory Readiness Checklist (Inpatient Units)
Restraints

| | | | |
|--|--|--|--|
| <p><input type="checkbox"/> Applicable restraint monitoring must be performed every 15 minutes and release of restraint every 2 hours, or as appropriate, and attestation must be documented at least once per episode</p> <ul style="list-style-type: none">○ Psychological status○ Circulation○ Range of motion○ Fluids, food/meal○ Toileting | | | |
|--|--|--|--|